

TABLE OF CONTENTS

Acknowledgements	iii
Table of contents	iv
List of abbreviations	x
Executive summary	xiii
Molecular aspects of drought tolerance	xiii
Objectives and major results	xiii
Tobacco	xiii
Potatoes	xiv
Cotton	xv
Maize	xvi
Conclusion	xvii
Recommendation for future research	xviii
Technology transfer	xvix
Publication list from drought research	xx
Postgraduate studies	xx
MSc. dissertations	xx
Ph.D. theses	xx
Research papers	xx
Conference proceedings	xxii
Papers	xxii
Posters	xxv

Chapter 1: Introduction

1.1 Effect of drought	1
1.2 Literature survey	4
1.2.1 Physiological processes involved	4
1.2.2 Screening methods	5
1.2.2.1 Stress related protein synthesis	5
1.2.2.2 Abscisic acid	7
1.2.2.3 Chlorophyll fluorescence	8

1.2.2.4	Enzymes from the antioxidative system	9
1.2.2.5	Changes in free proline concentrations and polyamine levels ..	10
1.2.2.6	2,3,5-Triphenyltetrazolium chloride reduction	12
1.2.3	Enhanced drought tolerance in transgenic plants	14
1.2.4	Differential screening	16
1.2.4.1	RNA isolation, cDNA library construction and differential plaque cultivarization	16
1.2.4.2	Sequence analysis of two of the drought-related clones	18
1.2.4.3	Characterisation of isolated genes	19
1.2.4.4	Two-cultivar analysis of water-stress induced genes from maize	20
1.2.4.4.1	Principle of the two-cultivar assay	21

Chapter 2: Materials and Methods

2.1	Plant material	23
2.1.1	Potatoes	23
2.1.2	Cotton	23
2.1.3	Tobacco	25
2.1.4	Maize	25
2.2	Screening methods	26
2.2.1	Drought related protein synthesis	28
2.2.2	Heat shock protein synthesis	28
2.2.3	Protein extraction and autoradiography	28
2.2.4	Protein-DNA binding study	29
2.2.5	Efficiency of protein synthesis	29
2.2.6	Incorporation of ¹⁴ C-proline	29
2.2.7	Water gradient study	29
2.2.8	Soil water potential and dry weight measurement in maize	30
2.2.9	Water relations	30
2.2.10	Proline and abscisic acid	31
2.2.11	Chlorophyll fluorescence	32
2.2.12	Leaf water potential	32
2.2.13	Cu/Zn superoxide dismutase, glutathione reductase and ascorbate	

2.2.13	Cu/Zn superoxide dismutase, glutathione reductase and ascorbate peroxidase levels	32
2.2.14	Free proline determination	33
2.2.15	Polyamine analysis	33
2.2.16	Analysis of polyamine biosynthetic enzymes	34
2.2.16.1	Enzyme assays of ADC and ODC	34
2.2.16.2	Method of estimation of ADC and ODC	34
2.2.17	2,3,5-Triphenyltetrazolium chloride reduction	35
2.2.18	Succinic dehydrogenase and malic dehydrogenase enzyme assays	35
2.3	Potato transformation	37
2.3.1	Maintenance of <i>in vitro</i> plantlets	37
2.3.2	Leaf disc regeneration	37
2.3.3	Kanamycin tolerance experiments	37
2.3.4	Cloning of a <i>Arabidopsis thaliana</i> Cu/Zn SOD cDNA into transformation vectors	37
2.3.5	Growth of <i>Agrobacterium tumefaciens</i>	38
2.3.6	Leaf disk transformation and regeneration	38
2.3.7	Molecular confirmation of transformed potatoes	41
2.3.8	Hardening off and drought stress of transformed plants	41
2.4	Differential screening	42
2.4.1	RNA isolations and cDNA synthesis	42
2.4.2	cDNA probe synthesis and plaque isolation	43
2.4.3	Sequence analysis of two of the drought related clones	45
2.4.3.1	Clone selection	45
2.4.3.2	Sequencing	45
2.4.3.3	Sequence analysis	46
2.4.4	Characterisation of isolated genes	46
2.4.4.1	RNA slot blots	46
2.4.4.2	Probe synthesis and cultivarization	46
2.4.4.3	Poly(A)+ RNA qualification	46
2.4.4.4	<i>In situ</i> cultivarization	47
2.4.5	Two-cultivar analysis of water-stress induced genes	48
2.5	Maize transformation	52
2.5.1	Plant material	52
2.5.2	Surface sterilisation of young cobs	52

2.5.3	Initiation of embryogenic tissue	52
2.5.4	Prepare embryogenic tissue for bombardment	53
2.5.5	PPT selective medium	53
2.5.6	Particle gun bombardment	53
2.5.6.1	Coating of particles	53
2.5.6.2	DNA preparation	54
2.5.7	Manipulation of the superoxide dismutase gene for transformation	54
2.5.8	Transformation of the maize with the plasmid pAHC25SOD	55
2.5.9	Confirmation of transformation of pAHC25SOD into maize calli	55

Chapter 3. Results and Discussion

3.1	Potatoes	56
3.1.1	Screening methods	56
3.1.1.1	Drought related protein synthesis is cultivar and organ specific in potato	56
3.1.1.2	Chlorophyll fluorescence as measure of drought tolerance	59
3.1.1.3	Cu/Zn superoxide dismutase, glutathione reductase and ascorbate peroxidase levels during drought stress	64
3.1.1.4	The effect of drought on proline and polyamine levels	66
3.1.1.5	2,3,5-Triphenyltetrazolium chloride reduction as a measurement of drought tolerance	68
3.1.1.6	Summary	73
3.1.2	Potato transformation in an attempt to enhance drought tolerance	75
3.1.2.1	Cu/Zn SOD activity of transformants	75
3.1.2.2	2,3,5-Triphenyltetrazolium chloride reduction assays	77
3.1.2.3	Conclusion	77
3.2	Cotton	79
3.2.1	Screening methods	79
3.2.1.1	Drought related protein synthesis	79
3.2.1.2	Analysis of heat tolerance in cotton	79
3.2.1.2.1	Heat related protein synthesis	79
3.2.1.2.2	Efficiency of protein synthesis	84
3.2.1.2.3	DNA binding	86

3.2.1.2.4	Viability assay	86
3.2.1.2.5	Conclusion	87
3.2.1.3	Chlorophyll fluorescence as measure of drought and heat tolerance	88
3.2.1.4	Enzymes from the antioxidative system in response to drought and heat stress	91
3.2.1.5	Leaf water potential	92
3.2.1.6	The effect of drought and heat on proline levels	94
3.2.1.7	The effect of drought and heat on polyamine levels	97
3.2.1.8	2,3,5-Triphenyltetrazolium chloride viability assay	99
3.2.1.9	Summary	102
3.2.2	Heritability and combining ability studies in cotton	105
3.3	Tobacco	107
3.3.1	Screening methods	107
3.3.1.1	Water gradient study as a screening method for drought tolerance	107
3.3.1.2	C ¹⁴ - proline incorporation	107
3.3.1.3	Chlorophyll fluorescence as a possible screening method	108
3.3.1.4	Proline accumulation	110
3.3.1.5	Polyamine titres during a drought treatment	110
3.3.1.6	2,3,5-Triphenyltetrazolium chloride viability assay	112
3.2.1.7	Conclusion	112
3.4	Maize	114
3.4.1	Screening methods	114
3.4.1.1	Triphenyltetrazolium chloride reduction assay on maize	114
3.4.1.2	Physiological differences between drought resistant and drought sensitive maize inbred lines	118
3.4.1.3	Conclusion	125
3.4.2	Differential screening	127
3.4.2.1	RNA isolation, cDNA library construction and differential plaque cultivarization	127
3.4.2.2	Sequence analysis of two of the drought-related genes	127
3.4.2.3	Characterisation of isolated genes	130
3.4.2.4	Conclusion	135
3.4.2.5	Two-cultivar analysis of water-stressed induced genes	137

3.4.3	Transformation of embryos with the Cu/Zn SOD gene	141
3.4.3.1	Embryogenic tissue	141
3.4.3.2	Manipulation of the superoxide dismutase gene for maize transformation	141
3.4.3.3	Particle gun bombardment	143
3.4.3.4	Transformation of the maize with the plasmid pAHC25SOD	146
3.4.3.5	Confirmation of transformation of pAHC25SOD into maize calli	146
3.4.3.6	Conclusion	147
Chapter 4:	Conclusion	149
Chapter 5:	References	154