CONTENTS

		Page
EXECUTIVE SUMMARY		i
ACKNOWLEDGEMENTS		xi
CONTENTS		xii
LIST OF FIGURES		xv
LIST OF TABLES		xvii
LIST OF EXAMPLES		xviii
1.	INTRODUCTION	1
1.1.	General	1
1.2.	Motivation for the research project	2
1.3.	Methodology in project execution	2
1.4.	Research project structure	3
2.	LITERATURE AND FIELD SURVEYS	4
2.1.	State-of-the-art in water supply optimisation	4
2.2.	Field surveys in support of the project	5
3.	WATER SUPPLY OPTIMIZATION PROBLEM STATEMENT	7
3.1.	General	7
3.2.	Economic design of a new water supply system	7
3.3.	Enhancement of existing water supply system	8
3.4.	Constraints limiting optimal design	9
3.5.	Optimisation problem statement for this project	9
4.	DESIGN DEMAND FOR LARGE WATER SUPPLY SYSTEM	11
4.1.	Monitoring of demand data for optimisation input	11
4.2.	Normalised demand profiles and peak demands	14
4.3.	Design demand for supply system optimisation	16
4.4.	Forecasting water supply system demand	17
4.4.1.	Short term demand forecasting (STDF)	18
4.4.2.	Small supply system demand forecasting	19

5. WATER SUPPLY TRUNK MAIN OPTIMIZATION 20

5.1. Pipeline optimisation problem 20

5.2. Alternative mains in water supply systems 21
5.2.1. Rising and gravity mains in water supply 21
5.2.2. Siting of rising main storage 21
5.2.3. Gravity main with booster station. 22
5.2.4. Rising main with booster station 22

5.3. Trunk main pipe optimisation 22

5.4. Method of pipeline optimisation in water supply 23

6. PUMPING OPERATION IN WATER SUPPLY 28

6.1. Purpose and type of pumping operation 28

6.2. Pumping Operation Selection 28

6.3. Pumping installation design 30
6.3.1. Pump selection 30
6.3.2. General layout of pumping installation 31
6.3.3. Design of the wet well or sump 31
6.3.4. Control of pumping system 32
6.3.5. Costing of pumping design 32
6.3.6. Cost of pumping 33

6.4. Optimal pumping operation 36

7. RESERVOIR STORAGE OPTIMIZATION 38

7.1. Representation of storage reservoir in water supply system 38
7.1.1. Bulk storage reservoir (service operational storage) 38
7.1.2. Distribution storage reservoir (intermediate storage) 40

7.2. Typical guidelines for sizing of the total storage in reservoirs 45

7.3. Optimal component sizing for a pumped reservoir storage 47
7.3.1. Optimal demand storage component sizing 48
7.3.2. Optimal emergency storage component sizing 50
7.3.3. Optimal fire-fighting storage component sizing 62

7.4. Risk and reliability in water supply with balancing storage 66

8. COSTING FUNCTIONS FOR WATER SUPPLY OPTIMIZATION 72

8.1. Costing of water supply system design 72

8.2. Whole Life Costing (WLC) of water supply system 72

8.3. Determination of costing data for this project **73**

8.4. Costing functions for optimisation program **73**
8.4.1. Pipe cost functions: New pipeline 74
8.4.2. Pipe cost function: Refurbished pipeline 75

8.5. Pumping installation cost functions: **76**
8.5.1. Pump station capital cost function: 76
8.5.2. Pumping operation cost function 77

8.6. Balancing reservoir storage cost functions **78**

8.7. Labour and maintenance costs **79**

8.8. Formulation of the capital cost optimisation program **80**
8.8.1. General description 80
8.8.2. Program user objectives 80
8.8.3. Program user limitations 80
8.8.4. Applications for Capital Cost Optimisation Program 80
8.8.5. Demand profiles for a supply area 82
8.8.6. Pump operating factor 82
8.8.7. Program calculated outputs 82
8.8.8. Reservoir System Design Optimisation (RSDO) software 83

9. CONCLUSION AND RECOMMENDATIONS **84**

REFERENCES **86**

APPENDIX A: SUPPORTING INFORMATION TO RSDO **A1**

APPENDIX B: RSDO SOFTWARE USER MANUAL **B1**