

# TABLE OF CONTENTS

EXECUTIVE SUMMARY .....	I
ACKNOWLEDGMENTS .....	V
LIST OF FIGURES .....	VIII
LIST OF TABLES .....	X
LIST OF SYMBOLS .....	XI
1 INTRODUCTION .....	1
1.1 Chitosan .....	1
1.2 Applications of chitosan .....	3
1.3 Availability and prices of chitosan .....	4
1.4 Scope and objectives .....	5
2 CHITOSAN PREPARATION .....	7
2.1 Isolation of chitin .....	7
2.2 Deacetylation .....	8
2.3 Commercial chitosan .....	9
3 FORMULATION OF CHITOSAN .....	11
3.1 Chitosan beads .....	11
3.2 Chitosan membranes .....	12
3.3 Immobilised chitosan .....	13
3.3.1 Support Preparation .....	14
3.3.2 Preparation of the chitosan coating .....	14
4 CHITOSAN BEADS .....	16
4.1 Relevant theory for adsorption and desorption in chitosan beads .....	16
4.1.1 Proposed equilibrium model .....	16
4.1.2 Particle model .....	17
4.1.3 Column breakthrough simulations .....	19
4.1.4 Adsorber column simulation .....	21
4.2 Characterisation of chitosan beads .....	22
4.2.1 Chitosan stability/water content .....	22
4.2.2 Accessibility of metal ions in gel bead .....	23
4.2.3 Protonated Amino Sites .....	24
4.2.4 Total amount of amino sites obtained from titration data .....	27
4.2.5 Degree of deacetylation .....	30
4.3 Experimental Procedures (methodology) .....	30
4.3.1 Determination of metal-ion concentration in the water samples .....	30
4.3.2 Adsorption studies at lab scale .....	31
4.3.3 Desorption .....	31
4.3.4 Multiple adsorption – desorption cycles .....	32
4.3.5 Adsorption in a column with chitosan beads .....	32
4.3.6 Desorption in a column with chitosan beads .....	33
4.4 Results and discussion .....	33
4.4.1 Batch experiments .....	34
4.4.2 Column experiments .....	39
4.4.3 Comparison with other adsorbents .....	45
4.5 Conclusions .....	45

5	CHITOSAN MEMBRANES .....	47
5.1	Characterisation of membranes .....	47
5.1.1	Introduction .....	47
5.1.2	Characterisation techniques used.....	47
5.1.3	Results and discussion of characterisation .....	50
5.2	Transport through chitosan membranes .....	56
5.3	Relevant adsorption theory.....	58
5.3.1	General adsorption theory .....	58
5.3.2	Adsorption on chitosan.....	60
5.3.3	Desorption of ions from chitosan membranes.....	63
5.4	Experimental procedures.....	63
5.5	Results and discussion.....	64
5.5.1	The adsorption equilibrium of zinc ions.....	65
5.5.2	The effect of temperature on adsorption.....	67
5.5.3	Dynamics of zinc adsorption by chitosan membranes .....	68
5.5.4	Adsorption of other metal ions .....	69
5.5.5	Desorption and recovery.....	70
5.6	Conclusions .....	72
6	IMMOBILISED CHITOSAN.....	74
6.1	Characterisation of ceramic support and chitosan coating.....	74
6.1.1	Strength test of supports .....	74
6.1.2	Structure of support .....	74
6.1.3	Flux and adsorption experiments.....	74
6.2	Characterisation results .....	74
6.2.1	Support characterisation .....	74
6.2.2	Chitosan layer characterisation.....	76
6.3	Results and discussion adsorption.....	79
6.4	Conclusions .....	81
7	ECONOMIC CONSIDERATIONS.....	82
8	GENERAL CONCLUSIONS .....	84
9	REFERENCES .....	87

## LIST OF FIGURES

Figure 1.1	Chitin molecular structure .....	1
Figure 1.2	Chitosan molecular structure .....	2
Figure 2.1	Schematic representation of the production of chitosan material and derivatives of chitosan .....	7
Figure 2.2	Production equipment for chitin and chitosan .....	9
Figure 3.1	Schematic representation of experimental set-up for the production of chitosan beads .....	12
Figure 4.1	Schematic representation of shrinking core model .....	18
Figure 4.2	Photo of bead. (After 1 hour adsorption, 300 ppm, diameter 3.8 mm) .....	18
Figure 4.3	Shrinking core model overview .....	19
Figure 4.4	Schematic representation of column .....	21
Figure 4.5	Excel simulation overview .....	21
Figure 4.6	Crosslinking mechanism of chitosan with glutaraldehyde .....	23
Figure 4.7	Titration curves for the crosslinked and non-crosslinked chitosan .....	24
Figure 4.8	IR spectra of non-crosslinked chitosan bead (NXLB) and crosslinked chitosan bead (XLB) .....	25
Figure 4.9	Titration curves for new and aged beads .....	26
Figure 4.10	The degree of protonation obtained from the titration data .....	28
Figure 4.11	Curves for chitosan suspension and chitosan beads in acid solution .....	29
Figure 4.12	Curves of pH changes titrated with 1.0 M HCl against chitosan solutions without copper and with copper .....	29
Figure 4.13	Schematic representation of the used column set-up .....	32
Figure 4.14	Precipitation interval for the different metal ions studied .....	33
Figure 4.15	The logarithm of the adsorption constant ( $K$ or $K_{ad}$ ) as a function of pH (both adsorption and desorption have been taken into account here) .....	34
Figure 4.16	Percentage of desorption as a function of pH .....	35
Figure 4.17	Equilibrium constant multiple adsorption cycles .....	36
Figure 4.18	Equilibrium constant measurement for $Cu^{2+}$ , $Pb^{2+}$ , $Zn^{2+}$ , $Cd^{2+}$ , & $Ni^{2+}$ ions .....	37
Figure 4.19	The adsorption of copper and zinc on in a binary mixture at pH = 5 .....	38
Figure 4.20	The adsorption of copper and cadmium on in a binary mixture at pH = 5 .....	38
Figure 4.21	Adsorption of $Cu^{2+}$ on beads as a function of time using a diffusion constant $6 \times 10^{-11}$ m <sup>2</sup> /s (initial concentration is varied from 50 – 100 ppm) ..	39
Figure 4.22	Breakthrough: 10 ppm, c vs Bed Volumes .....	40
Figure 4.23	Desorption with 0.2 M HCl .....	41
Figure 4.24	Desorption with 0.02 M HCl .....	41
Figure 4.25	Breakthrough curves for 2 cycles at different flow rates .....	42
Figure 4.26	Breakthrough curve for copper adsorption for 5 cycles of adsorption and desorption .....	44
Figure 4.27	Copper concentration in the acid solution after desorption as a function of the bedvolume .....	44
Figure 5.1	Schematic drawing of a bubble-point test apparatus .....	49
Figure 5.2	Effect of chitosan concentration (Chitosan A) on the wet membrane density .....	50
Figure 5.3	Effect of chitosan concentration on the chitosan content (the % dry material in a membrane) of the membranes .....	51
Figure 5.4	Effect of chitosan concentration on the porosity of wet chitosan membranes .....	52
Figure 5.5	Effect of chitosan concentration (Chitosan A) on the maximum pore radius of the wet chitosan membranes .....	52
Figure 5.6	Effect of chitosan concentration (Chitosan A) on the total surface area of dried chitosan membranes .....	53

Figure 5.7	Dried Chitosan Membrane structures (Chitosan A) before zinc adsorption (a) and after zinc adsorption (b) (Surface view).....	53
Figure 5.8	Effect of Chitosan Concentration (Chitosan A) on the dry membrane characteristics.....	54
Figure 5.9	Side view of chitosan membrane structure.....	55
Figure 5.10	Pure water flux as a function of the pressure difference (membrane thickness = 0.8 mm and T = 298K).....	56
Figure 5.11	Schematic drawing of the relationship between flux and applied pressure for different zinc concentrations (Membrane thickness = 0.8 mm).....	57
Figure 5.12	Limiting flux J plotted as a function of the logarithm of the bulk concentration.....	58
Figure 5.13	Formation of chitosan chelates with copper ions (as suggested by Kaminski et al., 1997).....	60
Figure 5.14	Equilibrium capacity after recirculation of zinc sorption onto a 0.8 mm chitosan membrane.....	65
Figure 5.15	Experimental data modelling using Langmuir equation for corrected concentration.....	66
Figure 5.16	Van der Waals plot of Zinc sorption onto a 0.8 mm chitosan membrane.....	67
Figure 5.17	The breakthrough profile of zinc solutions (Membrane thickness = 0.8 mm and 100 kPa pressure difference) compared to copper solutions.....	68
Figure 5.18	Schematic drawing of the breakthrough profile for zinc solutions.....	69
Figure 5.19	Schematic drawing of the regeneration of chitosan membranes using different acids.....	71
Figure 5.20	Schematic drawing of the regeneration cycles of chitosan membranes using sulphuric acid solution at a pH of 2.....	72
Figure 6.1	SEM picture of an inner surface of a centrifugal casted AKP-15 support sintered at 1150°C.....	76
Figure 6.2	SEM micrograph of Chi-NaOH membrane before adsorption of Cu <sup>2+</sup> .....	77
Figure 6.3	SEM micrograph of Chi-Si-NaOH membrane after Cu <sup>2+</sup> adsorption.....	77
Figure 6.4	SEM micrograph of Chi-Si-NaOH-Cross membrane after Cu <sup>2+</sup> adsorption.....	78
Figure 6.5	Concentration of Cu <sup>2+</sup> ions in permeate as a function of the volume in the permeate.....	79
Figure 7.1	Different treatment techniques for different contaminant concentrations.....	82

## LIST OF TABLES

Table 1.1	Applications of chitosan .....	4
Table 1.2	SABS standards for water quality .....	6
Table 2.1	Molecular weight determination using SEC .....	10
Table 2.2	Molecular weight of chitosan .....	10
Table 4.1	Solubility of chitosan in acidic solutions .....	22
Table 4.2	% metal ion accessibility in chitosan gel bead .....	24
Table 4.3	Characterised chitosan parameters .....	26
Table 4.4	Results multiple adsorption cycles .....	35
Table 4.5	Adsorption constant for different metal ions .....	37
Table 4.6	Experimental settings .....	40
Table 4.7	Summary of initial column results .....	40
Table 4.8	Additional adsorption parameters at 8 ml/min .....	43
Table 4.9	Additional adsorption parameters at 18 ml/min .....	43
Table 4.10	Specifications of Amberlyte 200C Na, as delivered by RHOM and HAAS .....	45
Table 4.11	The adsorption characteristics of different adsorbent for copper .....	45
Table 5.1	Composition of chitosan membrane .....	51
Table 5.2	Langmuir constants for zinc adsorption at different temperatures .....	66
Table 5.3	Theoretical and experimental adsorption capacity for SA chitosan .....	70
Table 5.4	Chitosan membrane adsorption compared to the highest adsorption capacities on other adsorbent materials for the metal ion zinc .....	70
Table 6.1	Properties of the different types of ceramic tubular supports .....	75
Table 6.2	Liquid transport data of pure water, the Cu <sup>2+</sup> -solution and the relative resistance of the chitosan coating for several alumina/chitosan membranes .....	78
Table 6.3	Comparison of literature values with the value obtained in this study for the maximum adsorption of Cu <sup>2+</sup> ions by chitosan .....	80
Table 8.1	Pros and Cons for different formulations of chitosan .....	86