

TABLE OF CONTENTS

EXECUTIVE SUMMARY	I
ACKNOWLEDGEMENTS	IX
ABBREVIATIONS	XI
1. INTRODUCTION	15
2. PROJECT OBJECTIVES	15
3. BACKGROUND	16
3.1 WHAT DOES THE WATER ACT SAY	16
3.2 WHAT IS REALLY HAPPENING IN PRACTICE	17
3.2.1 <i>On government level</i>	17
3.2.2 <i>On WUA level</i>	18
3.2.3 <i>On farm level</i>	20
3.3 PROBLEMS EXPERIENCED WITH CONVENTIONAL WATER METERING	21
3.4 IDENTIFICATION OF NEED FOR ALTERNATIVE MEASURE METHODS	24
3.5 THEORETICAL PRINCIPLES OF PROPOSED MEASUREMENT PROCEDURE	25
3.5.1 <i>The electric motor</i>	25
3.5.2 <i>The coupling between motor and pump</i>	29
3.5.3 <i>The pump</i>	30
3.6 PILOT STUDY	35
3.6.1 <i>Background</i>	35
3.6.2 <i>WRC Pilot Project</i>	37
4. METHODOLOGY	38
4.1 GENERAL	38
4.2 PRE-PROTO-TYPE METER PHASE	40
4.2.1 <i>Initial laboratory test</i>	40
4.2.2 <i>Identification of potential sites, and field tests</i>	40
4.2.3 <i>Visits to existing testing facilities</i>	41
4.2.4 <i>Further laboratory tests</i>	42
4.3 PROTO-TYPE METER PHASE	43
4.3.1 <i>Identification of proto-type meter test sites and field tests</i>	43
4.3.2 <i>Manufacturing of proto-type meter</i>	44
4.3.3 <i>Installation and calibration of proto-type water meter</i>	45
5. LITERATURE STUDY	46
6 TEST RESULTS AND ANALYSES	47
6.1 INITIAL FIELD TESTS	47
6.2 LABORATORY TESTS	47
6.3 PROTO-TYPE METER TESTS	62
6.3.1 <i>Jacobsdal test site</i>	62
6.3.2 <i>Modder River test site</i>	63
6.3.3 <i>Koelenhof test site (near Stellenbosch)</i>	64
6.3.4 <i>De Wet test site (near De Doorns)</i>	66
6.3.5 <i>Franschhoek test site</i>	68

7	DISCUSSION OF FINDINGS	73
7.1	SUITABILITY OF SITES	73
7.1.1	<i>Suitability of sites for research</i>	73
7.1.2	<i>Suitability of sites for normal use</i>	73
7.2	INSTALLATION OF METERS	74
7.2.1	<i>Research installation</i>	74
7.2.2	<i>Normal use installation</i>	74
7.3	CALIBRATION OF METERS AND VERIFICATION OF READINGS	74
7.3.1	<i>Research calibration</i>	74
7.3.2	<i>Normal use calibration</i>	76
7.4	METER PERFORMANCE	77
7.4.1	<i>Research meter performance</i>	77
7.4.2	<i>Normal use meter performance</i>	77
8	THE PROTO-TYPE METER	78
8.1	INTRODUCTION	78
8.2	DESCRIPTION	79
8.3	SPECIFICATIONS OF THE METER	79
8.3.1	<i>Mains supply to the meter and pump</i>	79
8.4	INSTALLATION OF THE METER	80
8.5	CALIBRATION OF THE METER	83
8.5.1	<i>General</i>	83
8.5.2	<i>Calibration mode</i>	83
8.5.3	<i>Calibration menu</i>	84
8.6	OPERATING INSTRUCTIONS	89
8.7	CONCLUDING REMARKS	90
8.8	FINANCIAL ASPECTS	91
8.8.1	<i>Cost of the meter</i>	91
8.8.2	<i>Cost of installation</i>	91
8.8.3	<i>Cost of calibration and commissioning</i>	91
8.8.4	<i>Cost of maintenance</i>	92
8.8.5	<i>Total meter cost</i>	92
8.9	TAMPERING ISSUES	92
8.10	SAFETY AND QUALITY ISSUES	93
8.11	LEGAL ISSUES	94
8.12	COMPARATIVE POSITION	96
8.13	ISSUES RELATED TO FEASIBILITY AND ACCEPTANCE	98
8.14	POSSIBLE IMPROVEMENTS	98
9.	CONCLUSIONS	99
9.1	SUCCESS OF THE PROCEDURE / METHOD DEVELOPED	100
9.2	PRACTICALITY AND ACCEPTABILITY OF THE PROCEDURE	100
9.2.1	<i>The accuracy of the meter must be acceptable</i>	100
9.2.2	<i>The meter must be tamper-proof</i>	101
9.2.3	<i>The installation of the meter in an existing system must be simple</i>	101
9.2.4	<i>The cost of the meter must be lower than that of conventional water meters</i>	101
9.3	CLOSING REMARKS	101
10.	THE WAY FORWARD	102
11.	CAPACITY BUILDING	103

REFERENCES	105
APPENDIX A	106
APPENDIX B	107
APPENDIX C	112
APPENDIX D	116