TABLE OF CONTENTS

1 INTRODUCTION ..... - 1 -
1.1 Overview ..... - 1 -
1.2 Study area ..... - 4 -
1.3 Geology and tectonic setting ..... - 5 -
1.3.1 The Witbank coalfield ..... - 6 -
1.3.2 The Highveld coalfield ..... - 8 -
1.4 Palaeo-climate and vegetation ..... - 10 -
1.5 Topography ..... - 11 -
1.6 Groundwater and drainage systems ..... - 11 -
2 PREVIOUS RESEARCH ..... - 13 -
2.1 Geochemistry and mineralogy of the Ecca Group ..... - 13 -
2.2 Review of mineral matter in coal ..... - 14 -
2.2.1 Quartz ..... - 16 -
2.2.2 Clay minerals, feldspars and micas ..... - 16 -
2.2.3 Sulphide minerals ..... - 17 -
2.2.4 Carbonate minerals ..... -19-
2.2.5 Phosphate minerals ..... - 19 -
2.2.6 Other minerals ..... - 20 -
2.3 Mineral matter in South African coal ..... - 20 -
3 THE GEOCHEMISTRY AND MINERALOGY OF COAL MEASURES ..... - 23 -
3.1 Sampling ..... - 23 -
3.2 Experimental and analytical methods used in coal mineralogy ..... - 25 -
3.2.1 Experimental procedures followed during this study ..... - 26 -
3.3 Distribution and mode of occurrence of mineral matter in coal ..... - 41 -
3.3.1 The Witbank coalfield ..... - 42 -
3.3.2 The Highveld coalfield ..... - 54 -
3.3.3 X-ray diffraction results ..... - 55 -
3.3.4 Normative Mineralogical Interpretation using SEDNORM ..... - 58 -
4 GEOCHEMICAL CHARACTERIZATION AND QUALITY OF COLLIERY WATERS ..... - 66 -
4.1 Quality of colliery waters ..... - 66 -
4.1.1 Sources of acid mine drainage (AMD) ..... - 67 -
4.1.2 The effects of AMD on colliery water quality ..... - 68 -
4.2 A model for the preliminary assessment of sources of pollution ..... - 69 -
5 ASSESSMENTS OF ACID GENERATION ..... - 73 -
5.1 ABA determinations for the Witbank and Highveld coalfields ..... - 73 -
5.1.1 The Witbank coalfield ..... - 75 -
5.1.2 The Highveld coalfield ..... - 82 -
6 CONCLUSIONS AND RECOMMENDATIONS ..... - 84 -
7 REFERENCES ..... - 86 -
8 APPENDIX 1: ANALYTICAL TECHNIQUES, SAMPLE LOCALITIES & SAMPLE DESCRIPTIONS ..... - 90 -
9 APPENDIX 2: ANALYTICAL RESULTS ..... - 91 -
10 APPENDIX 3: BOREHOLE LOGS AND DESCRIPTIONS ..... - 92 -

APPENDICES ARE CONTAINED ON THE ATTACHED CD ROM

LIST OF FIGURES

Figure 1. Collieries in Mpumalanga as well as southern boundary between Witbank and Highveld coalfields, and eastern boundary of Highveld coalfield (after Snyman, 1998). 1 – Arnot; 2 – Kriel; 3 - Arthur Taylor; 4 – ATCOM; 5- Bank 2; 6 - Bank 5; 7 – Blackwattle; 8 – Boschmans; 9 – Bothasrust; 10 – Delmas; 11 – Dover; 12 - Driehoek (Wessselton); 13 – Duvha; 14 – Eastside; 15 – Eikeboom; 16 – Elandsfontein; 17 – Ermelo; 18 – Glisa; 19 – Goedehoop; 20 – Greenside; 21 – Khutala; 22 – Kleinkopje; 23 – Koornfontein; 24 – Lakeside; 25 - Landau (Kromdraai); 26 – Leeuwfontein; 27 – Leeuwpan; 28 – Matla; 29 – Mavela; 30 – Middelburg; 31 - New Clydesdale; 32 - New Denmark; 33 – Northfield; 34 – Olifantslaagte; 35 – Optimum; 36 – Phoenix; 37 – Polmaise; 38 – Rietspruit; 39 - Secunda: Bosjesspruit; 40 - Secunda: Brandspruit; 41 - Secunda: Middelbult; 42 - Secunda: Syferfontein; 43 - South Witbank; 44 – Spitzkop; 45 – Strathrae; 46 – Tavistock; 47 - Van Dyks Drift; 48 – Waterpan; 49 - Witbank Consolidated; 50 - Woestalleen (Noodhulp section); 51 - Consbrey Dump; 52 – Protea; 53 – Mpisi; 54 – TBS; 55 - Nkomati Anthracite (after Smith and Whittaker 1986; Jordaan 1986; Schoeman and Boshoff 1996) ..... - 4 -
Figure 2. Lithostratigraphic nomenclature for the Karoo Supergroup (after Azzie, 2002) ..... - 6 -
Figure 3. Stratigraphic columns for different parts of the Witbank coalfield (Smith and Whittaker, 1986b) ..... - 7 -
Figure 4. Stratigraphic columns for different parts of the Highveld coalfield (Jordaan, 1986) ..... - 9 -
Figure 5. Sample distribution among the various collieries ..... - 24 -
Figure 6. Relationship between UNSW SiO_2% and UFS SiO_2% (UNSW method) ..... - 35 -
Figure 7. Relationship between UNSW Fe_2O_3% and UFS Fe_2O_3% (UNSW method) ..... - 36 -
Figure 8. Relationship between UFS SiO_2% at 1050°C and UNSW SiO_2% ..... - 36 -
Figure 9. Relationship between UFS Al_2O_3% at 1050°C and UNSW Al_2O_3% ..... - 37 -
Figure 10. Relationship between UFS Fe_2O_3% at 1050°C and UNSW Fe_2O_3% ..... - 37 -
Figure 11. Relationship between UFS MgO% at 1080°C and UNSW MgO% ..... - 37 -
Figure 12. Relationship between UFS CaO% at 1080°C and UNSW CaO% ..... - 38 -
Figure 13. Relationship between Whole coal Fe_2O_3% and UFS Fe_2O_3% at 1050°C ..... - 38 -
Figure 14. Relationship between Whole coal SiO_2% and UFS SiO_2% at 1050°C ..... - 39 -
Figure 15. Relationship between Whole coal Al_2O_3% and UFS Al_2O_3% at 1080°C ..... - 39 -
Figure 16. Relationship between Whole coal CaO% and UFS CaO% at 1080°C ..... - 40 -
Figure 17. Relationship between TiO_2 and Al_2O_3 concentrations ..... - 44 -
Figure 18. Relationship between K_2O and Ba concentrations ..... - 45 -
Figure 19. Relationship between Fe_2O_3 and S concentrations ..... - 45 -
Figure 20. Relationship between Fe_2O_3 and S concentrations ..... - 50 -
Figure 21. Chemical profile of some element oxides in No. 4 coal Seam ..... - 55 -
Figure 22. Relationship between normative Quartz and SiO_2 percentages in coal samples ..... - 59 -
Figure 23. Relationship between normative Pyrite and Fe_2O_3 percentages in coal samples ..... - 60 -
Figure 24. Relationship between normative Siderite and Fe_2O_3 percentages in coal samples ..... - 60 -
Figure 25. Relationship between normative Magnesite and MgO percentages in coal samples ..... - 61 -
Figure 26. Relationship between normative Calcite and CaO percentages in coal samples ..... - 61 -
Figure 27. Relationship between normative Apatite and P_2O_5 percentages in coal samples ..... - 62 -
Figure 28. Relationship between normative K-feldspar and K_2O percentages in sediment samples ..... - 63 -
Figure 29. Relationship between normative Kaolinite and Al_2O_3 percentages in sediment samples ..... - 64 -
Figure 30. Relationship between normative Illite-Smectite and K_2O percentages in sediment samples ..... - 64 -
Figure 31. Surface area dissolution rates for source minerals far from solubility equilibrium at oxic conditions and pH 5 and 25°C (Banwart and Malmström, 2001) ..... - 71 -
Figure 32. Relationship between trends in pH with the lifetime of minerals that produce and consume acidity (Banwart and Malmström, 2001) ..... - 72 -
Figure 33. Initial and final pH's of the samples before and after complete pyrite oxidation and carbonate dissolution ..... - 75 -
Figure 34. Acid potential (for an open system) for the Witbank coalfield ..... - 76 -
Figure 35. Neutralizing potential for the Witbank coalfield ..... - 77 -
Figure 36. Acid potential (for an open and closed system) and neutralizing potential for the Witbank coalfield ..... - 78 -
Figure 37. Net neutralizing potential for the Witbank coalfield ..... - 78 -
Figure 38. Acid potential (for an open and closed system) and net neutralizing potential (for an open and closed system) for the Witbank coalfield ..... - 79 -
Figure 39. Acid potential (for an open system) and sulphur % ..... - 80 -
Figure 40. Neutralizing potential and CaO % ..... - 80 -

LIST OF TABLES

Table 1. List of sampling localities and number of samples ..... - 24 -
Table 2. Results after heating for 50 hours at 350°C (units in grams) ..... - 28 -
Table 3. Results after heating for 60 hours at 250°C (units in grams) ..... - 28 -
Table 4. Results after heating for 70 hours at 150°C (units in grams) ..... - 29 -
Table 5. UNSW XRF data – 1020°C ash – normalised LOI and SO_3 free ..... - 32 -
Table 6. UFS XRF data – 1020°C ash (UNSW method) ..... - 32 -
Table 7. UFS XRF data – 1020°C ash (UNSW method) – normalised LOI and SO_3 free - 32 -
Table 8. UFS XRF data – 1050°C ash ..... - 33 -
Table 9. UFS XRF data – 1050°C ash - normalised LOI, H_2O and SO_3 free ..... - 33 -
Table 10. UFS XRF data – 1080°C ash ..... - 33 -
Table 11. UFS XRF data – 1080°C ash - normalised LOI, H_2O and SO_3 free ..... - 34 -
Table 12. UFS XRF data – Whole coal analyses ..... - 34 -
Table 13. UFS XRF data – Whole coal analyses - normalised LOI, H_2O and SO_3 free..... - 35 -
Table 14. UFS XRF data – Whole coal analyses – Mixtures of samples LK1 and LU13.. - 40 -
Table 15. UFS XRF data – Whole coal analyses – Mixtures of samples LK1 and LU13 (continued) ..... - 41 -
Table 16. UFS XRF data – Whole coal analyses – Mixtures of samples LK1 and LU13 (continued) ..... - 41 -
Table 17. The minimum, maximum and average concentrations of oxides (wt%) and trace elements (ppm) in No. 1 Coal Seam ..... - 43 -
Table 18. The minimum, maximum and average concentrations of oxides (wt%) and trace elements (ppm) in siltstone floor rocks of No. 1 coal Seam ..... -47-
Table 19. The minimum, maximum and average concentrations of oxides (wt%) and trace elements (ppm) in sandstone roof rocks of No. 1 coal Seam ..... - 48 -
Table 20. The minimum, maximum and average concentrations of oxides (wt%) and trace elements (ppm) in sandstone floor rocks of No. 2 coal Seam ..... - 51 -
Table 21. The minimum, maximum and average concentrations of oxides (wt%) and trace elements (ppm) in No. 4 coal Seam ..... - 53 -
Table 22. The minimum, maximum and average concentrations of oxides (wt%) and trace elements (ppm) in No. 5 coal Seam ..... - 54 -
Table 23. Average NPR (NP: AP) ratio and NNP for lithological units of the Witbank coalfield (open system) ..... - 81 -
Table 24. Average NPR (NP: AP) ratio and NNP for lithological units of the Highveld coalfield (open system) ..... - 82 -