

TABLE OF CONTENTS

| | | |
|-------|--|------|
| | Executive Summary | i |
| | Acknowledgements | iv |
| | List of Tables | viii |
| | List of Figures | x |
| | List of Acronyms and Abbreviations | xiii |
| | | |
| 1 | INTRODUCTION | 1 |
| 1.1 | The History of Sewage Sludge Management Legislation and Guidelines in South Africa | 1 |
| 1.1.1 | The origin of the maximum allowable PTME-concentration of a type D sludge in the 1997 Guidelines | 4 |
| 1.1.2 | Comments made by the wastewater industry on the 1997 guideline | 6 |
| 1.1.3 | The interpretation of the Cd, Cu, Pb and Zn limits in the 1997 Sludge Guidelines | 7 |
| 1.1.4 | The development of an addendum to the 1997 Sludge Guidelines | 8 |
| 1.2 | Statement of the Problem | 8 |
| 1.3 | Objective of the Study | 9 |
| 1.4 | Motivation | 9 |
| 1.5 | General Approach | 9 |
| | | |
| 2 | BACKGROUND | 11 |
| 2.1 | The Quality of Wastewater Sludge | 11 |
| 2.2 | International Trends in Assessing the Quality of Sludge | 14 |
| 2.2.1 | International limits for PTMEs in sludge | 14 |
| 2.2.2 | International trends in the analytical methods for sludge analysis | 20 |
| 2.3 | Aquatic Toxicology | 21 |
| 2.3.1 | The aquatic environment | 22 |
| 2.3.2 | Toxicants and toxicity | 22 |
| 2.3.3 | Factors that affect the environmental concentration of toxicants | 23 |
| 2.3.4 | Factors that influence toxicity | 23 |
| 2.3.5 | Factors related to the organism | 23 |
| 2.3.6 | Factors related to the chemical | 24 |
| 2.3.7 | Acute and Chronic Effects | 24 |
| 2.3.8 | Concentration response relationship | 25 |
| 2.3.9 | The integration of aquatic toxicology into the sludge guidelines | 25 |
| 2.4 | The Methods Available for Analysis of PTMEs in Sludge and Soil | 26 |
| | | |
| 3 | MATERIALS AND METHODS | 29 |
| 3.1 | A Comparison and Selection of Analytical Methods | 29 |
| 3.2 | The Site Selection and Sample Collection Process | 29 |
| 3.3 | The Questionnaire | 30 |
| 3.4 | The Analytical Methods Used | 30 |
| 3.5 | The PTME Concentration of Commercial Fertilisers | 31 |

| | | |
|------------|--|-----|
| 4 | RESULTS AND DISCUSSION | 32 |
| 4.1 | A Comparison and Selection of Analytical Methods | 32 |
| 4.2 | The Selected Plants | 32 |
| 4.3 | A Summary of Background Data on Plants | 32 |
| 4.3.1 | Deficiencies in the data | 32 |
| 4.3.2 | Approach to Data Analysis | 33 |
| 4.3.3 | Practical findings during the Project | 34 |
| 4.3.4 | Sludge disposal practices in South Africa | 34 |
| 4.4 | Analytical Results | 37 |
| 4.4.1 | Physical parameters | 39 |
| 4.4.2 | Microbiological parameters | 40 |
| 4.4.3 | Nutrients | 43 |
| 4.4.4 | Potentially Toxic Metals and Elements | 44 |
| 4.4.5 | A Comparison of the PTME concentration of fertilisers with that of sewage sludge | 48 |
| 4.5 | The Compliance of Sewage Sludge to the South African Sludge Guidelines | 54 |
| 4.5.1 | The PTME leachable values for sewage sludge | 54 |
| 4.5.2 | The PTME total values for sewage sludge | 56 |
| 4.5.3 | Trends in sludge quality over the last 10 years | 64 |
| 5 | CONCLUSIONS AND RECOMMENDATIONS | 67 |
| 5.1 | Conclusions | 67 |
| 5.2 | Recommendations | 68 |
| 5.2.1 | Deficiency of background information and data | 68 |
| 5.2.2 | Standardisation of methods | 68 |
| 5.2.3 | Suggested amendments to the Guidelines | 69 |
| 6 | REFERENCES | 71 |
| 7 | APPENDICES | 75 |
| APPENDIX 1 | QUESTIONNAIRE | 75 |
| APPENDIX 2 | ANALYTICAL METHODS USED | 84 |
| APPENDIX 3 | PLANTS SURVEYED | 108 |
| APPENDIX 4 | CALCULATION OF SLUDGE MASS | 110 |
| APPENDIX 5 | RAW ANALYTICAL DATA | 111 |
| APPENDIX 6 | PARR BOMB ANALYSIS COMPARED TO OTHER METHODS | 189 |

List of Tables

| NUMBER | TITLE | PAGE |
|--------|--|------|
| 1.1a | The PTME concentration of sludge aimed for unrestricted use (Type D) (Viviers et al., 1988). | 2 |
| 1.1b | Comparison between the PTME concentration of sludge aimed for unrestricted use (Type D) in the 1991 and 1997 Sludge Guidelines (Department of Health, 1991; WRC, 1997). | 3 |
| 1.1c | The classification of sewage sludge (WRC, 1997). | 4 |
| 1.1.1a | PTME concentrations allowed in sewage sludge when applied at a rate of $8 \text{ t}_{\text{dry}}(\text{ha}.\text{yr})^{-1}$ for twenty five years as recommended by the Department of Water Affairs and Forestry during the development of the 1997 Sludge Guidelines. | 5 |
| 1.1.1b | Recommended maximum allowable PTME values for sewage sludge from the different governmental departments. | 6 |
| 1.1.2a | A sample calculation explaining how the guideline limits for PTMEs were calculated using Cd | 7 |
| 2.1a | Sources of PTMEs found in sewage sludge (Smith and Vasiloudis, 1989) | 11 |
| 2.1b | PTMEs used in specific industries (Water Institute of Southern Africa, 1993) | 11 |
| 2.1c | Organic and physical properties of sludge in the USA (Tchobanoglous and Burton, 1991) | 12 |
| 2.1d | Average international PTME concentrations in sewage sludge (adapted from Tchobanoglous and Burton, 1991) | 12 |
| 2.1e | Composition of trace elements in sewage sludge (adapted from WEF, 2000) | 13 |
| 2.1f | Average South African PTME concentrations in sewage sludge (Smith and Vasiloudis, 1989) | 13 |
| 2.2.2a | Comparative values for PTME concentration in soils and sludge (Lötter and Pitman, 1997) | 21 |
| 2.4a | Detection limits and optimal concentration ranges for PTME analysis using an ICP-MS (Standard Methods, 1995) | 27 |
| 2.4b | Extraction methods that could be used for sewage sludge analysis (compiled by Herselman and Steyn as adapted from Steyn, 1994) | 28 |
| 3.4a | Methods used for the determination of the different parameters | 30 |
| 3.5a | Properties of the fertilisers used for PTME concentration determinations | 31 |
| 4.3.1a | The mean values of the COD inflow data | 34 |
| 4.4.1a | Summary of the results obtained from the total solids analysis as a percentage | 39 |
| 4.4.1b | Summary of the results obtained from the volatile solids analysis as a percentage | 39 |
| 4.4.1c | Summary of the results obtained from the alkalinity analysis as mg CaCO_3 per litre | 39 |
| 4.4.1d | Summary of the results obtained from the volatile fatty acid analysis as $\text{mg CH}_3\text{COOH}$ per litre | 40 |
| 4.4.1e | Summary of the results obtained from the pH analysis | 40 |
| 4.4.4a | Weighted mean PTME concentrations for all the plants with respect to analysis method | 44 |

| NUMBER | TITLE | PAGE |
|---------------|---|-------------|
| 4.4.4b | Weighted mean total (aqua regia) PTME concentrations in mg kg ⁻¹ for the sludge samples collected in this survey categorised according to the inflow | 45 |
| 4.5.3a | The treatment technologies for the 33 plants that occur in both studies | 64 |