

TABLE OF CONTENTS

EXECUTIVE SUMMARY	II
TABLE OF CONTENTS	VII
LIST OF TABLES	XV
LIST OF FIGURES	XVII
LIST OF EQUATIONS	XX
LIST OF PHOTOGRAPHS	XXI
NOMENCLATURE	XXII
ACKNOWLEDGEMENTS	XXVI
1 INTRODUCTION	1
1.1 Background	1
1.2 MLSS settling behaviour	1
1.3 Experimental work	2
1.4 Project scope	3
1.5 Conclusions	4
2 LITERATURE REVIEW	5
2.1 Background	5
2.2 Principles and monitoring of MLSS settling	6
2.2.1 MLSS settling and temperature relationship	6
2.2.2 MLSS settling and MLSS concentration relationship	6
2.2.3 MLSS settling parameters: identification and development	8
2.2.4 MLSS settling indexes	11
2.2.4.1 SVI	11
2.2.4.2 Alternative indexes	14
2.2.4.3 Future SVI use with settling parameters	15
2.2.5 SVI and settling velocity correlations	16
2.3 Operational plant temperature conditions	18
2.3.1 Overview	18

2.3.2	Modelling temperature variations	18
2.3.2.1	Ambient temperature	19
2.3.2.2	Raw wastewater temperature	20
2.3.2.3	Reactor temperature	21
2.3.2.4	Secondary settling tank temperature	22
2.4	Batch MLSS settling tests and temperature variations	23
2.5	On-line MLSS settling tests and temperature variations.....	24
2.6	Summary	24
2.7	Conclusions.....	25
2.8	Research aims	26
3	TEMPERATURE OBSERVATIONS.....	28
3.1	Background	28
3.2	Materials and methods.....	29
3.2.1	Experimental approach	29
3.2.2	Temperature data collection.....	29
3.2.2.1	Plant reactors used for temperature observations.....	29
3.2.2.2	Short- and long-term temperature variation	30
3.2.2.3	Temperature data presentation	30
3.3	Results and discussion	31
3.3.1	Long-term temperature variation	31
3.3.2	Short-term temperature variations	35
3.4	Summary	37
3.5	Conclusions.....	38
4	BATCH MLSS SETTLING EVALUATION	39
4.1	Background	39
4.2	Materials and methods.....	41
4.2.1	Experimental approach	41
4.2.2	Settling measurement equipment.....	41
4.2.3	Settling profile determination	42
4.2.4	Temperature impact on MLSS concentration meter reading.....	43
4.2.5	Settling container size.....	43

4.2.6	Reactor zone samples.....	43
4.2.7	Additional preliminary tests: extended heating and cooling.....	44
4.2.8	Sample conditioning methods.....	45
4.3	Results and discussion.....	45
4.3.1	Impact of container size on MLSS settling.....	45
4.3.2	Impact of reactor zone on MLSS settling.....	46
4.3.3	Impact of container environment on MLSS settling.....	48
4.4	Summary.....	49
4.5	Conclusions.....	50
5	ON-LINE MLSS SETTLING EVALUATION.....	51
5.1	Background.....	51
5.2	Materials and methods.....	52
5.2.1	Experimental approach.....	52
5.2.2	MLSS settling meter configuration.....	53
5.2.3	MLSS settling meter velocity data collection method.....	56
5.2.4	MLSS settling meter velocity data collection boundaries.....	57
5.2.5	Data presentation.....	57
5.2.5.1	Data logger transfer and calculations.....	57
5.2.5.2	Empirical settling correlations and statistical comparisons.....	59
5.3	Results and discussion.....	59
5.3.1	h and T_r diurnal variation.....	60
5.3.2	MLSS concentration and T_r diurnal variation.....	61
5.3.3	SVI and T_r diurnal variation.....	62
5.3.4	Model fitting: SVI dependence on MLSS concentration and T_r	63
5.3.4.1	SVI link to MLSS concentration.....	63
5.3.4.2	SVI link to T_r	64
5.3.4.3	SVI link to MLSS concentration and T_r	65
5.3.5	Model fitting: u_{max} dependence on MLSS concentration and T_r	66
5.3.5.1	u_{max} link to MLSS concentration.....	66
5.3.5.2	u_{max} link to T_r	67
5.3.5.3	u_{max} link to MLSS concentration and T_r	68
5.3.6	Model fitting: t_{umax} dependence on MLSS concentration and T_r	69
5.3.6.1	t_{umax} link to MLSS concentration.....	69

5.3.6.2	t _{umax} link to T _r	70
5.3.6.3	t _{umax} link to MLSS concentration and T _r	71
5.3.7	Model fitting: Summary of curve-fitting correlations	72
5.3.8	SVI and settling parameter correlation procedure	72
5.3.8.1	SVI and u _{max} correlation	72
5.3.8.2	SVI and t _{umax} correlation	73
5.3.9	SVI correlations with u _{max} and t _{umax} : Summary of curve-fitting results	74
5.3.10	Simplified settling models: MLSS concentration and T _r	76
5.3.10.1	SVI correlation with MLSS concentration and T _r	77
5.3.10.2	u _{max} correlation with MLSS concentration and T _r	78
5.3.10.3	t _{umax} correlation with MLSS concentration and T _r	79
5.3.10.4	u _{ave} correlation with MLSS concentration and T _r variation	80
5.3.10.5	h correlation with MLSS concentration and T _r variation	82
5.3.10.6	Incremental velocity u ₁ to u ₆ simulation over 30 minutes	83
5.3.10.7	u ₁ correlation with MLSS concentration and T _r variation	83
5.3.10.8	u ₂ correlation with MLSS concentration and T _r variation	85
5.3.10.9	u ₃ correlation with MLSS concentration and T _r variation	86
5.3.10.10	u ₄ correlation with MLSS concentration and T _r variation	87
5.3.10.11	u ₅ correlation with MLSS concentration and T _r variation	88
5.3.10.12	u ₆ correlation with MLSS concentration and T _r variation	89
5.3.11	Settling models results summary	90
5.3.12	Settling models simulation results	90
5.4	Summary	91
5.5	Conclusions	92
6	SUMMARY OF RESULTS	94
7	CONCLUSIONS	97
8	RESEARCH CONTRIBUTION	99
9	REFERENCES	100
10	APPENDICES	116
10.1	Appendix A1: Pilot plant information	117
10.1.1	Introduction	117
10.1.2	Research strategy	117

10.1.2.1	Research methodology	117
10.1.2.2	Research instruments	117
10.1.3	Pilot Plant	118
10.1.3.1	Introduction	118
10.1.3.2	Raw sewage supply	119
10.1.3.3	Pilot plant inlet	121
10.1.3.4	Anaerobic zone	122
10.1.3.5	Anoxic zone	123
10.1.3.6	Aerobic Zone	123
10.1.3.7	Gravity sedimentation tanks	124
10.1.3.8	Waste sludge	125
10.1.3.9	Effluent outlet	125
10.1.3.10	Compressed air supply	126
10.1.3.11	Tank air distribution	126
10.1.3.12	Tank air control	127
10.1.4	Monitoring and control systems	127
10.1.4.1	RAS timer control	127
10.1.4.2	Dissolved oxygen concentration meters	127
10.1.4.3	MLSS concentration meter	128
10.1.4.4	Data capture	128
10.1.4.5	Air control	128
10.1.4.6	Mixing turbulence	129
10.1.4.7	Temperature control	129
10.1.5	Activated sludge settling velocity meter	129
10.1.6	Experimental periods	131
10.1.7	Analysis data gathered	131
10.1.7.1	Parameters	131
10.1.7.2	Field data	131
10.1.7.2.1	Plant flow rate	131
10.1.7.3	Sludge data	132
10.1.7.3.1	SVI	132
10.1.7.3.2	Hindered settling velocity	132
10.1.7.4	Supernatant data	132
10.1.7.4.1	Sample taking	132
10.1.7.4.2	Turbidity	132
10.1.7.4.3	Ortho-phosphate	132

10.1.7.5	On-line monitoring sensors.....	133
10.1.7.5.1	Dissolved oxygen concentration.....	133
10.1.7.5.2	Temperature.....	133
10.1.7.5.3	MLSS concentration.....	133
10.1.7.6	Quality verifications.....	133
10.1.7.7	Data statistical procedures	133
10.1.7.8	Operational procedures	134
10.1.7.9	Operational Performance	134
10.1.7.9.1	Seeding	134
10.1.7.9.2	Operation	134
10.1.7.9.3	Operational problems	134
10.1.7.9.4	SRT and Flow control.....	134
10.1.7.9.5	DO and MLSS concentration control: pilot plant.....	135
10.1.7.9.6	DO and MLSS concentration control: full-scale	136
10.1.7.10	Wastewater characterization	137
10.1.7.10.1	Introduction	137
10.1.7.10.2	Raw sewage	137
10.1.7.10.3	Raw and settled sewage.....	137
10.1.7.10.4	Settled sewage nutrient ratio.....	138
10.1.7.10.5	VFA generation	139
10.1.7.11	Pilot plant performance.....	139
10.1.7.11.1	COD removal.....	139
10.1.7.11.2	NH ₃ removal	139
10.1.7.11.3	P removal.....	140
10.1.7.11.4	SS removal.....	141
10.1.7.12	Constituent percentage removal.....	141
10.1.7.13	Microorganisms identification	142
10.1.7.13.1	Filaments and protozoa and metazoan identified in all reactor zones.....	142
10.1.7.13.2	Filaments and protozoa and metazoan identified in different reactor zones ..	143
10.1.7.14	Data gathered	143
10.1.7.15	Diurnal profiles for Pilot Plant.....	143
10.1.7.15.1	Temperature.....	144
10.1.7.15.2	MLSS concentration	144
10.1.7.15.3	h	145
10.1.7.15.4	SVI.....	145
10.1.7.15.5	Maximum settling velocity.....	146
10.1.7.15.6	Settleability related to DO variation	146
10.2	Appendix A2: Pilot plant operation experimental boundaries	147
10.3	Appendix A3: Pilot plant operation, results and discussion.....	148
10.3.1	Diurnal MLSS settling meter h and T _r diurnal variation	148
10.3.2	Diurnal MLSS concentration and T _r variation	149
10.3.3	Diurnal SVI and T _r variation	150
10.3.4	Model fitting: SVI dependence on MLSS concentration and T _r	150

10.3.4.1	SVI link to MLSS concentration, pilot plant	151
10.3.4.2	SVI link to T_r , pilot plant	152
10.3.4.3	SVI link to MLSS concentration and T_r , pilot plant	153
10.3.5	Model fitting: u_{max} dependence on MLSS concentration and T_r	154
10.3.5.1	u_{max} link to MLSS concentration, pilot plant.....	154
10.3.5.2	u_{max} link to T_r , pilot plant.....	155
10.3.5.3	u_{max} link to MLSS concentration and T_r , pilot plant.....	156
10.3.6	Model fitting: t_{umax} dependence on MLSS concentration and T_r	157
10.3.6.1	t_{umax} link to MLSS concentration, pilot plant.....	157
10.3.6.2	t_{umax} link to T_r , best-fit, pilot plant	158
10.3.6.3	t_{umax} link to MLSS concentration and T_r , pilot plant.....	159
10.3.7	Model fitting: Summary of curve-fitting correlations	160
10.3.8	SVI correlation procedure	160
10.3.8.1	SVI and u_{max} correlation: pilot plant.....	160
10.3.8.2	SVI and t_{umax} correlation: pilot plant.....	161
10.3.9	SVI and u_{max} and t_{umax} : summary of curve-fitting correlations	162
10.3.10	Simplified settling models: MLSS concentration and T_r	163
10.3.11	SVI link with MLSS concentration and T_r	164
10.3.12	u_{max} link with MLSS concentration and T_r	165
10.3.13	t_{umax} link with MLSS concentration and T_r	166
10.3.14	Simplified settling models simulation results summary.....	167
10.3.15	Summary of results.....	167
10.4	Appendix B: T_r measurements: surface and bubble aeration plant data	168
10.5	Appendix C: Raw sewage plant inflow diurnal temperature variation	169
10.6	Appendix D: MLSS concentration meter reading T_r-based variations.....	170
10.7	Appendix E: Batch MLSS settling data	171
10.7.1	SVI variation.....	173
10.7.2	Zone settling velocity variation	175
10.7.3	Turbidity variation.....	177
10.8	Appendix F: On-line data	179
10.9	Appendix G: Settleability factors summary	182
10.9.1	Biofloc composition and structure.....	182
10.9.2	Wastewater characteristics	183

10.9.3	Process and reactor configuration.....	185
10.9.4	Operational factors	187
10.9.5	Settleability failure identification	188
10.9.6	Settleability impacts due to filamentous micro-organism dominance.....	189
10.10	Appendix H: Summary of regression model variable results	190