

## TABLE OF CONTENTS

	PAGE
Executive Summary .....	i
Acknowledgements .....	iv
Definition of Terms .....	v
List of Tables .....	vi
List of Figures .....	x
<b>1. INTRODUCTION .....</b>	<b>1</b>
<b>2. LITERATURE SURVEY .....</b>	<b>4</b>
2.1 INTRODUCTION .....	1
2.2 DISINFECTION BY-PRODUCT FORMATION .....	4
2.3 MUTAGENICITY OF DRINKING WATER AND THE RELATION TO TOTAL ORGANIC HALOGEN .....	4
2.4 CORRELATIONS BETWEEN THMs AND TOX .....	5
2.5 PERFORMANCE OF POX AND NPOX METHODS .....	5
2.6 CONCENTRATIONS OF TOX MEASURED IN DRINKING WATER SUPPLIES .....	5
<b>3. MATERIALS AND METHODS .....</b>	<b>6</b>
3.1 CHEMICAL ANALYSIS .....	6
3.2 SAMPLING: LOCALITIES AND FREQUENCY .....	6
<b>4. RESULTS AND DISCUSSION OF RESULTS .....</b>	<b>8</b>
4.1 PHASE I : WATER DESTINED FOR AND LEAVING ZWARTKOPJES BOOSTER STATION .....	8
4.2 PHASE II: WATER DESTINED FOR AND LEAVING PALMIET BOOSTER STATION .....	23
4.3 PHASE III: WATER DESTINED FOR EIKENHOF AND MAPLETON BOOSTER STATIONS .....	30
4.4 SUMMARY OF TTHM, POX AND AOX RESULTS OBTAINED FOR THE FOUR BOOSTER STATIONS .....	40
4.5 PHASE IV: WATER DESTINED FOR THE DISTRIBUTION SYSTEM	43
4.6 DISSOLVED ORGANIC CARBON CONCENTRATIONS .....	47

	PAGE
4.7 NUMBER OF POX, AOX AND TTHM RESULTS EXCEEDING GUIDELINE VALUES .....	47
5. CONCLUSIONS .....	49
6. RECOMMENDATIONS .....	50
7. REFERENCES .....	51