TABLE OF CONTENTS

CHAPTER **PAGE**

EXECUTIVE SUMMARY iii
ACKNOWLEDGEMENTS vi

1 INTRODUCTION 1
1.1 Background to the Study 1
1.2 Project Objectives 1
1.3 Summary of Study Approach 1
1.4 Report Structure 2

2 DESCRIPTION OF STUDY AREA 2
2.1 Location and land use in the study area 2
2.2 Geology 6
2.3 Geohydrology 7
2.3.1 The Ecca weathered aquifer 7
2.3.2 The fractured Ecca aquifers 8
2.3.3 Pre-Karoo aquifers 8
2.4 Water supply infrastructure 9
2.5 Hydrology and water availability 9
2.6 Water Quality 10
2.7 Water requirements in the study area 12
2.7.1 Steve Tshwete Local Municipality (LM) 12
2.7.2 Emalahleni Local Municipality (LM) 13
2.8 Reconciliation of water availability and water requirements 14
2.8.1 Steve Tshwete Local Municipality 14
2.8.2 Emalahleni Local Municipality 15

3 DESCRIPTION OF METHODOLOGY 17
3.1 Introduction 17
3.2 Collection of mine data 17
3.2.1 Information for mines in the Middelburg Dam catchment 18
3.2.2 Mine information for Witbank Dam Catchment 23
3.3 Workshops 28
3.4 Identification of management options 28
3.5 Model selection and model framework development 28
3.6 Formulation of management scenarios for analysis 29
3.7 Impact modelling 30
3.8 Cost analysis 30
3.9 Capacity Building 31

4 MANAGEMENT OPTIONS 33
4.1 Introduction 33
4.2 Pollution Prevention and Control Planning 33
4.3 Mining and Water Management Plan 33
4.4 Mine Closure and Rehabilitation Plan 34
4.5 Diversions 34
4.6 Capping/covers of rehabilitated spoil and waste heaps 35
4.6.1 Capping/covers 35

4.6.2 Selective Spoil Handling 37
4.6.3 Revegetation 37
4.7 Artificial recharge as a tool for flooding 38
4.8 Control of Infiltrating Groundwater 38
4.8.1 Underground Mine Sealing 38
4.8.2 Grout Curtains and Walls 39
4.9 Active Treatment 39
4.9.1 Alkaline Addition 39
4.9.2 Application of bactericides 40
4.9.3 Application of Barium sulphide 41
4.9.4 Reverse Osmosis 42
4.10 Passive Treatment as a Management Option 42
4.10.1 Anoxic and oxic limestone drains 42
4.10.2 Open limestone channels 43
4.11 Interconnection of mines and mixing of water 44
4.12 Power station use of mine water 45
4.13 Irrigation with gypsiferous mine water 45
4.14 Aeration and settling ponds 45
4.15 Evaporation pans 46
4.16 Wetland treatment of mine water 46
4.17 Phytoremediation 48
4.18 Mine water for flooding and neutralisation purposes in underground mines 48
4.19 Conclusions 49

5 SELECTION OF MODEL SUITE 51
5.1 Impact of mining on the water resource 51
5.1.1 Impact of Opencast Mining on Water Quantity 51
5.1.2 Impact of Underground Mining on Water Quantity 53
5.1.3 Impact on water quality 57
5.1.4 Conclusions 59
5.2 Screening of available models 59
5.2.1 Modflow and Feflow 60
5.2.2 ACRU Salinity 60
5.2.3 HSPF 60
5.2.4 Isis/Mike 11 60
5.2.5 WRSM2000 61
5.2.6 WRPM/WQT 62

6 APPLICATION OF ACRU SALINITY 65
6.1 Introduction 65
6.2 Study Area 65
6.3 Soils and Land Use 65
6.4 Hydrology 68
6.5 Objectives of Study 68
6.6 Methodology 68
6.6.1 General 68
6.6.2 Scenario Description 69
6.6.3 Summary of Relevant Modifications to and Application of *ACRU2000* and *ACRU Salinity* 70
6.6.4 Modifications to *ACRU* 70

6.6.5 Verification of Routines and Parameter Sets at Kleinkopje Colliery 71
6.7 Results of Scenario Simulations for B11C Quaternary 77
6.8 Conclusions 80

7 DESCRIPTION OF MODELLING SCENARIOS AND APPLICATION OF IMPACT MODEL 81
7.1 Introduction 81
7.2 Reduction of volume for treatment by using covers 81
7.2.1 Description of Scenario 1 – poor standard cover 81
7.2.2 Description of Scenario 2 – good standard cover 81
7.2.3 Description of Scenario 3 – good 1200 mm thick cover 81
7.3 Optimal use of storage in the mine workings – Scenario 4 82
7.4 Intermine Flow – Scenario 5 82
7.5 Analysis Results – Cover scenarios 1, 2 and 3 83
7.5.1 Middelburg Dam Catchment 83
7.5.2 Witbank Dam Catchment 91
7.6 Analysis Results – Storage Scenario 4 98
7.7 Analysis Results – Intermine flow Scenario 5 100

8 DISCUSSION OF RESULTS 101
8.1 Mine Information 101
8.2 Comparison of total NPV for scenarios 102

9 CONCLUSIONS AND RECOMMENDATIONS 104

10 REFERENCES 106